Author index

Agoutin, B., see Ouenzar, B. (950) 429
Alhonen-Hongisto, L., see Hirvonen, A. (950) 229
Amano, H., see Sakaguchi, R. (950) 441
Anthony, J., see Singh, G. (950) 329

Battistoni, A., Leoni, L., Sampaolese, B. and Savino, M.
Kinetic persistence of cruciform structures in reconstituted minichromosomes (950) 161
Beerman, T.A., see Grimwade, J.E. (950) 102
Beerman, T.A., see Woynarowski, J.M. (950) 21
Bladon, T.S., see Ruben, M.M. (950) 374
Borzorgzadeh, A., see Kleene, K.C. (950) 215
Böttger, M., Vogel, F., Platzer, M., Kiessling, U., Grade, K. and Strauss, M.
Condensation of vector DNA by the chromosomal protein HMG1 results in efficient transfection (950) 221
Briand, P., see Dubois, N. (950) 321
Brown, W.E., see Singh, G. (950) 329

Campagnari, F., see Lugaro, G. (950) 420
Casas-Finet, J.R., see Khamis, M.I. (950) 132
Casellato, M.M., see Lugaro, G. (950) 420
Cavard, C., see Dubois, N. (950) 321
Chandler, M., see Kennedy, M. (950) 75
Chang, W.-C., see Pan, F.-M. (950) 238
Chasse, J.-F., see Dubois, N. (950) 321
Chinali, G., Vanlinden, F. and Cocito, C.
Action of virginiamycin M on the stability of different ribosomal complexes to ultracentrifugation (950) 67
Chládek, S., see Tezuka, M. (950) 463
Choli, T., Henning, P., Wittmann-Liebold, B. and Reinhardt, R.
Isolation, characterization and microsequence analysis of a small basic methylated DNA-binding protein from the Archaebacterium, *Sulfolobus solfataricus* (950) 193
Ciriacy, M., see Drewke, C. (950) 54
Clark, C.M., see Goodlad, G.A.J. (950) 296
Cocito, C., see Chinali, G. (950) 67
Colson, C., see Lejeune, A. (950) 204
Craig, J., see Ruben, M.M. (950) 374
Cullinan, E.B., see Grimwade, J.E. (950) 102
Czyż, M., see Gniazdowski, M. (950) 346

Dartois, V., see Lejeune, A. (950) 204
De Murcia, G., see Lamarre, D. (950) 147
De Pagter-Holthuizen, P., Jansen, M., Van der Kammen, R.A., Van Schaik, F.M.A. and Sussenbach, J.S.
Differential expression of the human insulin-like growth factor II gene. Characterization of the IGF-II mRNAs and an mRNA encoding a putative IGF-II-associated protein (950) 282
Doglia, S.M., see Gigli, M. (950) 13
Drahovsky, D., see Grünwald, S. (950) 366
Drewke, C. and Ciriacy, M.
Overexpression, purification and properties of alcohol dehydrogenase IV from *Saccharomyces cerevisiae* (950) 54
Driever, P.H., see Grünwald, S. (950) 366
Dubois, N., Cavard, C., Chasse, J.-F., Kamoun, P. and Briand, P.
Compared expression levels of ornithine transcarbamylase and carbamylphosphate synthetase in liver and small intestine of normal and mutant mice (950) 321
Durbin, J.E., Swerdel, M.R. and Fallon, A.M.
Identification of cDNAs corresponding to mosquito ribosomal protein genes (950) 182

Emrie, P.A., see Fisher, J.H. (950) 338
Endo, H., see Ueno, T. (950) 411

Fallon, A.M., see Durbin, J.E. (950) 182
Filion, M., Lussier, M., Royal, A., Gervais, C. and Suh, M.
Identification of a proliferation-related transcript with an elevated expression in the mid-gestation mouse embryo (950) 255
Fiorucci, G. and Hall, A.
All three human *ras* genes are expressed in a wide range of tissues (950) 81
Fisher, J.H., Emrie, P.A., Shannon, J., Sano, K., Hattler, B. and Mason, R.J.
Rat pulmonary surfactant protein A is expressed as two differently sized mRNA species which arise from differential polyadenylation of one transcript (950) 338
Flynn, J.F., see Kleene, K.C. (950) 215
Foster, N., Singhal, A.K., Smith, M.W., Marcos, N.G. and Schray, K.J.
Interactions of porphyrins and transfer RNA (950) 118
Frasunek, M., see Gniazdowski, M. (950) 346
Fukuda, H., see Katsurada, A. (950) 113

Gervais, C., see Filion, M. (950) 255
Gigli, M., Doglia, S.M., Millot, J.M., Valentini, L. and Manfait, M.
Quantitative study of doxorubicin in living cell nuclei by microspectrofluorometry (950) 13
Gniazdowski, M., Czyż, M., Wilmańska, D., Studzian, K., Frasunek, M., Płuciennicczak, A. and Szmigiero, L.
Inhibition of DNA-dependent RNA synthesis by 8-methoxypsoralen (950) 346
Goodlad, G.A.J. and Clark, C.M.
Response of skeletal muscle RNA polymerases I and II to tumour growth (950) 296

Author index

Agoutin, B., see Ouenzar, B. (950) 429
Alhonen-Hongisto, L., see Hirvonen, A. (950) 229
Amano, H., see Sakaguchi, R. (950) 441
Anthony, J., see Singh, G. (950) 329

Battistoni, A., Leoni, L., Sampaolese, B. and Savino, M.
Kinetic persistence of cruciform structures in reconstituted minichromosomes (950) 161
Beerman, T.A., see Grimwade, J.E. (950) 102
Beerman, T.A., see Woynarowski, J.M. (950) 21
Bladon, T.S., see Ruben, M.M. (950) 374
Borzorgzadeh, A., see Kleene, K.C. (950) 215
Böttger, M., Vogel, F., Platzer, M., Kiessling, U., Grade, K. and Strauss, M.
Condensation of vector DNA by the chromosomal protein HMG1 results in efficient transfection (950) 221
Briand, P., see Dubois, N. (950) 321
Brown, W.E., see Singh, G. (950) 329

Campagnari, F., see Lugaro, G. (950) 420
Casas-Finet, J.R., see Khamis, M.I. (950) 132
Casellato, M.M., see Lugaro, G. (950) 420
Cavard, C., see Dubois, N. (950) 321
Chandler, M., see Kennedy, M. (950) 75
Chang, W.-C., see Pan, F.-M. (950) 238
Chasse, J.-F., see Dubois, N. (950) 321
Chinali, G., Vanlinden, F. and Cocito, C.
Action of virginiamycin M on the stability of different ribosomal complexes to ultracentrifugation (950) 67
Chládek, S., see Tezuka, M. (950) 463
Choli, T., Henning, P., Wittmann-Liebold, B. and Reinhardt, R.
Isolation, characterization and microsequence analysis of a small basic methylated DNA-binding protein from the Archaebacterium, *Sulfolobus solfataricus* (950) 193
Ciriacy, M., see Drewke, C. (950) 54
Clark, C.M., see Goodlad, G.A.J. (950) 296
Cocito, C., see Chinali, G. (950) 67
Colson, C., see Lejeune, A. (950) 204
Craig, J., see Ruben, M.M. (950) 374
Cullinan, E.B., see Grimwade, J.E. (950) 102
Czyż, M., see Gniazdowski, M. (950) 346

Dartois, V., see Lejeune, A. (950) 204
De Murcia, G., see Lamarre, D. (950) 147
De Pagter-Holthuizen, P., Jansen, M., Van der Kammen, R.A., Van Schaik, F.M.A. and Sussenbach, J.S.
Differential expression of the human insulin-like growth factor II gene. Characterization of the IGF-II mRNAs and an mRNA encoding a putative IGF-II-associated protein (950) 282
Doglia, S.M., see Gigli, M. (950) 13
Drahovsky, D., see Grünwald, S. (950) 366
Drewke, C. and Ciriacy, M.
Overexpression, purification and properties of alcohol dehydrogenase IV from *Saccharomyces cerevisiae* (950) 54
Driever, P.H., see Grünwald, S. (950) 366
Dubois, N., Cavard, C., Chasse, J.-F., Kamoun, P. and Briand, P.
Compared expression levels of ornithine transcarbamylase and carbamylphosphate synthetase in liver and small intestine of normal and mutant mice (950) 321
Durbin, J.E., Swerdel, M.R. and Fallon, A.M.
Identification of cDNAs corresponding to mosquito ribosomal protein genes (950) 182

Emrie, P.A., see Fisher, J.H. (950) 338
Endo, H., see Ueno, T. (950) 411

Fallon, A.M., see Durbin, J.E. (950) 182
Filion, M., Lussier, M., Royal, A., Gervais, C. and Suh, M.
Identification of a proliferation-related transcript with an elevated expression in the mid-gestation mouse embryo (950) 255
Fiorucci, G. and Hall, A.
All three human *ras* genes are expressed in a wide range of tissues (950) 81
Fisher, J.H., Emrie, P.A., Shannon, J., Sano, K., Hattler, B. and Mason, R.J.
Rat pulmonary surfactant protein A is expressed as two differently sized mRNA species which arise from differential polyadenylation of one transcript (950) 338
Flynn, J.F., see Kleene, K.C. (950) 215
Foster, N., Singhal, A.K., Smith, M.W., Marcos, N.G. and Schray, K.J.
Interactions of porphyrins and transfer RNA (950) 118
Frasunek, M., see Gniazdowski, M. (950) 346
Fukuda, H., see Katsurada, A. (950) 113

Gervais, C., see Filion, M. (950) 255
Gigli, M., Doglia, S.M., Millot, J.M., Valentini, L. and Manfait, M.
Quantitative study of doxorubicin in living cell nuclei by microspectrofluorometry (950) 13
Gniazdowski, M., Czyż, M., Wilmańska, D., Studzian, K., Frasunek, M., Płuciennicczak, A. and Szmigiero, L.
Inhibition of DNA-dependent RNA synthesis by 8-methoxypsoralen (950) 346
Goodlad, G.A.J. and Clark, C.M.
Response of skeletal muscle RNA polymerases I and II to tumour growth (950) 296

Gould, J.H., see Richardson, P.T. (950) 385
Grade, K., see Böttger, M. (950) 221
Grimwade, J.E., Cullinan, E.B. and Beerman, T.A.
Neocarzinostatin and auromomycin preferentially cleave simian virus 40 DNA and chromosomes at a number of discrete locations (950) 102
Grünwald, S., Driever, P.H., Hoelzer, D. and Drahovsky, D.
Reduced methyl group acceptance of 1-β-D-arabinofuranosylcytosine-containing DNA polymers (950) 366

Halford, N.G., Morris, N.A., Urwin, P., Williamson, M.S., Kasarda, D.D., Lew, E.J.-L., Kreis, M. and Shewry, P.R.
Molecular cloning of the barley seed protein CMd: a variant member of the α-amylase/trypsin inhibitor family of cereals (950) 435
Hall, A., see Fiorucci, G. (950) 81
Hanaichi, T., see Tamai, K. (950) 263
Harlow, P., see Nemer, M. (950) 445
Harris, C.L., Marashi, F. and Sakallah, S.
Modified nucleosides and the chromatographic and aminoacylation behavior of $tRNA^{Ile}$ from *Escherichia coli* C6 (950) 172
Hattler, B., see Fisher, J.H. (950) 338
Hecht, N.B., see Johnson, P.A. (950) 45
Hecht, N.B., see Kleene, K.C. (950) 215
Hegyi, H., see Juhász, A. (950) 455
Henning, P., see Choli, T. (950) 193
Heyman, T., see Ouenzar, B. (950) 429
Hibino, Y., Yoneda, T. and Sugano, N.
Purification and properties of a magnesium-dependent endodeoxyribonuclease endogenous to rat-liver nuclei (950) 313
Hildebrandt, A., see Nothacker, K.-D. (950) 403
Hirvonen, A., Immonen, T., Leinonen, P., Alhonen-Hongisto, L., Jänne, O.A. and Jänne, J.
Effect of dexamethasone on the activity and expression of ornithine decarboxylase in rat liver and thymus (950) 229
Hoelzer, D., see Grünwald, S. (950) 366
Hong, C.B. and Loomis, W.F.
Regulation of SP60 mRNA during development of *Dictyostelium discoideum* (950) 61
Hoober, J.K. and Phinney, D.G.
Induction of a light-inducible gene in *Arthrobacter* sp. by exposure of cells to chelating agents and pH 5 (950) 234

Immonen, T., see Hirvonen, A. (950) 229
Iritani, N., see Katsurada, A. (950) 113
Isselbacher, K.J., see Tanaka, K. (950) 138
Itoh, T., see Sano, H. (950) 274

Jänne, J., see Hirvonen, A. (950) 229
Jänne, O.A., see Hirvonen, A. (950) 229
Jansen, M., see De Pagter-Holthuizen, P. (950) 282
Jardine, K., see Ruben, M.M. (950) 374
Jay, G., see Tanaka, K. (950) 138
Johnson, P.A., Peschon, J.J., Yelick, P.C., Palmiter, R.D. and Hecht, N.B.
Sequence homologies in the mouse protamine 1 and 2 genes (950) 45
Juhász, A., Hegyi, H. and Solymosy, F.
A novel aspect of the information content of viroids (950) 455

Kaguni, L.S. and Lehman, I.R.
Eukaryotic DNA polymerase-primase: structure, mechanism and function (950) 87
Kamoun, P., see Dubois, N. (950) 321
Kanaya, S., see Sato, S. (950) 303
Kasarda, D.D., see Halford, N.G. (950) 435
Katsurada, A., Iritani, N., Fukuda, H., Noguchi, T. and Tanaka, T.
Transcriptional and posttranscriptional regulation of malic enzyme synthesis by insulin and triiodothyronine (950) 113
Katyal, S.L., see Singh, G. (950) 329
Keith, G., see Ouenzar, B. (950) 429
Kennedy, A.L., see Singh, G. (950) 329
Kennedy, M., Chandler, M. and Lane, D.
Mapping and regulation of the *pif*C promoter of the F plasmid (950) 75
Khamis, M.I., Casas-Finet, J.R. and Maki, A.H.
Binding of recA protein to single- and double-stranded polynucleotides occurs without involvement of its aromatic residues in stacking interactions with nucleotide bases (950) 132
Kiessling, U., see Böttger, M. (950) 221
Kleene, K.C., Borzorgzadeh, A., Flynn, J.F., Yelick, P.C. and Hecht, N.B.
Nucleotide sequence of a cDNA clone encoding mouse transition protein 1 (950) 215
Kleter, B.E.M., see Moshage, H.J. (950) 450
Kleuskens, J.A.G.M., see Moshage, H.J. (950) 450
Kodama, I., see Sano, H. (950) 274
Kojima, K., see Tamai, K. (950) 263
Kreis, M., see Halford, N.G. (950) 435

Lamarre, D., Talbot, B., De Murcia, G., Laplante, C., Leduc, Y., Mazen, A. and Poirier, G.G.
Structural and functional analysis of poly(ADP ribose) polymerase: an immunological study (950) 147
Lane, D., see Kennedy, M. (950) 75
Laplante, C., see Lamarre, D. (950) 147
Leduc, Y., see Lamarre, D. (950) 147
Lehman, I.R., see Kaguni, L.S. (950) 87
Leinonen, P., see Hirvonen, A. (950) 229
Lejeune, A., Dartois, V. and Colson, C.
Characterization and expression in *Escherichia coli* of an endoglucanase gene of *Pseudomonas fluorescens* subsp. *cellulosa* (950) 204
Leoni, L., see Battistoni, A. (950) 161
Lew, E.J.-L., see Halford, N.G. (950) 435
Loomis, W.F., see Hong, C.B. (950) 61
Lord, J.M., see Richardson, P.T. (950) 385
Louis, J.M., McFarland, V.W., May, P. and Mora, P.T.
The phosphoprotein p53 is down-regulated post-transcriptionally during embryogenesis in vertebrates (950) 395

Lugaro, G., Campagnari, F., Moretti, R. and Casellato, M.M.
Inhibition of DNA polymerization and DNA transcription to RNA by seminal plasma peptides (950) 420
Lussier, M., see Filion, M. (950) 255

Maki, A.H., see Khamis, M.I. (950) 132
Manfait, M., see Gigli, M. (950) 13
Manley, J.L.
Polyadenylation of mRNA precursors (950) 1
Marashi, F., see Harris, C.L. (950) 172
Marcos, N.G., see Foster, N. (950) 118
Masaki, S., see Tamai, K. (950) 263
Mason, R.J., see Fisher, J.H. (950) 338
Matsuguchi, T., see Ueno, T. (950) 411
May, P., see Louis, J.M. (950) 395
Mayer, H., see Morelle, G. (950) 459
Mazen, A., see Lamarre, D. (950) 147
McBurney, M.W., see Ruben, M.M. (950) 374
McFarland, V.W., see Louis, J.M. (950) 395
McLean, M.J. and Wells, R.D.
The role of sequence in the stabilization of left-handed DNA helices in vitro and in vivo (950) 243
Millot, J.M., see Gigli, M. (950) 13
Mora, P.T., see Louis, J.M. (950) 395
Morelle, G. and Mayer, H.
Increased synthesis of human parathyroid hormone in *Escherichia coli* through alterations of the 5′ untranslated region (950) 459
Moretti, R., see Lugaro, G. (950) 420
Morris, N.A., see Halford, N.G. (950) 435
Moshage, H.J., Kleter, B.E.M., Van Pelt, J.F., Roelofs, H.M.J., Kleuskens, J.A.G.M. and Yap, S.H.
Fibrinogen and albumin synthesis are regulated at the transcriptional level during the acute phase response (950) 450

Nakada, Y., see Sato, S. (950) 303
Nemer, M. and Harlow, P.
Sea-urchin RNAs displaying differences in developmental regulation and in complementarity to a collagen exon probe (950) 445
Noguchi, H., see Sano, H. (950) 274
Noguchi, T., see Katsurada, A. (950) 113
Nothacker, K.-D. and Hildebrandt, A.
A method for isolation of nuclei containing undegraded RNA from RNAase-rich plasmodia of *Physarum polycephalum* (950) 403

Ouenzar, B., Weill, D., Agoutin, B., Keith, G. and Heyman, T.
Relative content of isoaccepting tRNAs for glycine and proline in avian tendon cells with different rates of procollagen synthesis (950) 429

Palmiter, R.D., see Johnson, P.A. (950) 45
Pan, F.-M. and Chang, W.-C.
Cloning and sequencing of bullfrog growth hormone complementary DNA (950) 238
Papa Rao, J., Zafar, R.S. and Sodja, A.
Transcriptional activity at the 3′ end of the actin gene at 5C on the X chromosome of *Drosophila melanogaster* (950) 30
Peschon, J.J., see Johnson, P.A. (950) 45
Phillips, S., see Singh, G. (950) 329
Phinney, D.G., see Hoober, J.K. (950) 234
Platzer, M., see Böttger, M. (950) 221
Płucienniczak, A., see Gniazdowski, M. (950) 346
Poirier, G.G., see Lamarre, D. (950) 147

Reinhardt, R., see Choli, T. (950) 193
Richardson, P.T., Roberts, L.M., Gould, J.H. and Lord, J.M.
The expression of functional ricin B-chain in *Saccharomyces cerevisiae* (950) 385
Roberts, L.M., see Richardson, P.T. (950) 385
Roelofs, H.M.J., see Moshage, H.J. (950) 450
Royal, A., see Filion, M. (950) 255
Ruben, M.M., Rudnicki, M.A., Bladon, T.S., Jardine, K., Craig, J. and McBurney, M.W.
Expression of the human cardiac actin gene in differentiating rat skeletal myoblasts (950) 374
Rudnicki, M.A., see Ruben, M.M. (950) 374

Sakaguchi, R., Amano, H. and Shishido, K.
Nucleotide sequence homology of the tetracycline-resistance determinant naturally maintained in *Bacillus subtilis* Marburg 168 chromosome and the tetracycline-resistance gene of *B. subtilis* plasmid pNS1981 (950) 441
Sakallah, S., see Harris, C.L. (950) 172
Sampaolese, B., see Battistoni, A. (950) 161
Sano, H., Noguchi, H., Kodama, I. and Itoh, T.
Rapid methylation of genomic DNA in proliferating T-cells from bovine thymocytes (950) 274
Sano, K., see Fisher, J.H. (950) 338
Sato, S., Nakada, Y., Kanaya, S. and Tanaka, T.
Molecular cloning and nucleotide sequence of *Thermus thermophilus* HB8 *trpE* and *trpG* (950) 303
Savino, M., see Battistoni, A. (950) 161
Schray, K.J., see Foster, N. (950) 118
Shannon, J., see Fisher, J.H. (950) 338
Shewry, P.R., see Halford, N.G. (950) 435
Shimer, Jr., G.H., Woody, A.-Y.M. and Woody, R.W.
Spectroscopic analysis of DNA base-pair opening by *Escherichia coli* RNA polymerase. Temperature and ionic strength effects (950) 354
Shishido, K., see Sakaguchi, R. (950) 441
Sigmund, R.D., see Woynarowski, J.M. (950) 21
Singh, G., Katyal, S.L., Brown, W.E., Phillips, S., Kennedy, A.L., Anthony, J. and Squeglia, N.
Amino-acid and cDNA nucleotide sequences of human Clara cell 10 kDa protein (950) 329
Singhal, A.K., see Foster, N. (950) 118
Smith, M.W., see Foster, N. (950) 118
Sodja, A., see Papa Rao, J. (950) 30
Solymosy, F., see Juhász, A. (950) 455
Squeglia, N., see Singh, G. (950) 329
Strauss, M., see Böttger, M. (950) 221
Studzian, K., see Gniazdowski, M. (950) 346

Sugano, N., see Hibino, Y. (950) 313
Suh, M., see Filion, M. (950) 255
Sussenbach, J.S., see De Pagter-Holthuizen, P. (950) 282
Suzuki, M., see Tamai, K. (950) 263
Swerdel, M.R., see Durbin, J.E. (950) 182
Szmigiero, L., see Gniazdowski, M. (950) 346

Takahashi, K., see Ueno, T. (950) 411
Talbot, B., see Lamarre, D. (950) 147
Tamai, K., Kojima, K., Hanaichi, T., Masaki, S., Suzuki, M., Umekawa, H. and Yoshida, S.
Structural study of immunoaffinity-purified DNA polymerase α-DNA primase complex from calf thymus (950) 263
Tanaka, K., Jay, G. and Isselbacher, K.J.
Expression of heat-shock and glucose-regulated genes: differential effects of glucose starvation and hypertonicity (950) 138
Tanaka, T., see Katsurada, A. (950) 113
Tanaka, T., see Sato, S. (950) 303
Tezuka, M. and Chládek, S.
The elongation factor Tu · GTPase reaction: effect of 2′(3′)-*O*-aminoacyl oligoribonucleotides (950) 463

Ueno, T., Takahashi, K., Matsuguchi, T., Endo, H. and Yamamoto, M.
Transcriptional deviation of the rat insulin-like growth factor II gene initiated at three alternative leader-exons between neonatal tissues and ascites hepatomas (950) 411
Umekawa, H., see Tamai, K. (950) 263
Urwin, P., see Halford, N.G. (950) 435

Valentini, L., see Gigli, M. (950) 13
Van der Kammen, R.A., see De Pagter-Holthuizen, P. (950) 282
Vanlinden, F., see Chinali, G. (950) 67
Van Pelt, J.F., see Moshage, H.J. (950) 450
Van Schaik, F.M.A., see De Pagter-Holthuizen, P. (950) 282
Vogel, F., see Böttger, M. (950) 221

Weill, D., see Ouenzar, B. (950) 429
Wells, R.D., see McLean, M.J. (950) 243
Williamson, M.S., see Halford, N.G. (950) 435
Wilmańska, D., see Gniazdowski, M. (950) 346
Wittmann-Liebold, B., see Choli, T. (950) 193
Woody, A.-Y.M., see Shimer, Jr., G.H. (950) 354
Woody, R.W., see Shimer, Jr., G.H. (950) 354
Woynarowski, J.M., Sigmund, R.D. and Beerman, T.A.
Topoisomerase-II-mediated lesions in nascent DNA: comparison of the effects of epipodophyllotoxin derivatives, VM-26 and VP-16, and 9-anilinoacridine derivatives, *m*-AMSA and *o*-AMSA (950) 21

Yamamoto, M., see Ueno, T. (950) 411
Yap, S.H., see Moshage, H.J. (950) 450
Yelick, P.C., see Johnson, P.A. (950) 45
Yelick, P.C., see Kleene, K.C. (950) 215
Yoneda, T., see Hibino, Y. (950) 313
Yoshida, S., see Tamai, K. (950) 263

Zafar, R.S., see Papa Rao, J. (950) 30